Safety Data Sheet

Issue Date: 20-Mar-2024 **Revision Date:** 21-Mar-2024 **Version** 1

1. IDENTIFICATION

Product identifier

Product Name Maintain: Pozzolan Hydraulic Lime (PHL)

Other means of identification

SDS # CW-004

Synonyms Lime Mortar, tuckpointing mortar.

Recommended use of the chemical and restrictions on use

Recommended Use Historic masonry repointing and bedding mortar.

Details of the supplier of the safety data sheet

Supplier Address

CenturyWerks, LLC.
3210 N. Troy St.
Chicago, IL 60618
Phone: 773-389-3324
Fax: 773-588-7019
Website: centurywerks.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance White, off white, grey or pastel powder **Physical state** Solid **Odor** None

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

Signal Word

Danger

Hazard statements

Harmful if swallowed
Causes severe skin burns and eye damage
May cause cancer
Causes damage to organs through prolonged or repeated exposure

Precautionary Statements - Prevention
Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response
Immediately call a poison center or doctor/physician
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a poison center or doctor/physician
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Immediately call a poison center or doctor/physician
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth
Do NOT induce vomiting

Precautionary Statements - Storage
Store locked up

Precautionary Statements - Disposal
Dispose of contents/container to an approved waste disposal plant

Other hazards
Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms Lime Mortar, tuckpointing mortar.

Chemical name	CAS No	Weight-%
Silica, Quartz	14808-60-7	>80
Calcium Hydroxide	1305-62-0	5-10
Calcined Kaolin	92704-41-1	3-7
Titanium dioxide	13463-67-7	<1.96
Iron(III) oxide	1309-37-1	<1.96
Cobalt aluminate blue spinel	1345-16-0	<1.96
Coal	8029-10-5	<1.96
Chromium (Cr2O3)	1308-38-9	<1.96
Carbon Black	1333-86-4	<1.96
Calcium Carbonate	1317-65-3	<1.96
Talc	14807-96-6	<1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center or doctor/physician.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Ingestion	Call a poison center or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms	Harmful if swallowed. Causes severe skin burns and eye damage. Causes damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical
Not determined.

Protective equipment and precautions for firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.

Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Incompatible Materials Acids. Oxidizing materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silica, Quartz 14808-60-7	TWA: 0.025 mg/m^3 respirable particulate matter	TWA: 50 µg/m^3 (vacated) TWA: 0.1 mg/m^3 respirable dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m^3 TWA respirable fraction	IDLH: 50 mg/m^3 respirable dust TWA: 0.05 mg/m^3 respirable dust
Calcium Hydroxide 1305-62-0	TWA: 5 mg/m^3	TWA: 15 mg/m^3 total dust TWA: 5 mg/m^3 respirable fraction (vacated) TWA: 5 mg/m^3 not in effect as a result of reconsideration	TWA: 5 mg/m^3
Chromium (Cr2O3) 1308-38-9	-	TWA: 0.5 mg/m^3 Cr (vacated) TWA: 0.5 mg/m^3 Cr	IDLH: 25 mg/m^3 Cr(III) TWA: 0.5 mg/m^3 Cr
Iron(III) oxide 1309-37-1	TWA: 5 mg/m^3 respirable particulate matter	TWA: 10 mg/m^3 fume TWA: 15 mg/m^3 total dust TWA: 5 mg/m^3 respirable fraction (vacated) TWA: 10 mg/m^3 fume and total dust Iron oxide (vacated) TWA: 5 mg/m^3 respirable fraction regulated under Rouge	IDLH: 2500 mg/m^3 Fe dust and fume TWA: 5 mg/m^3 Fe dust and fume
Calcium Carbonate 1317-65-3	-	TWA: 15 mg/m^3 total dust TWA: 5 mg/m^3 respirable fraction (vacated) TWA: 15 mg/m^3 total dust (vacated) TWA: 5 mg/m^3 respirable fraction	TWA: 10 mg/m^3 total dust TWA: 5 mg/m^3 respirable dust
Carbon Black 1333-86-4	TWA: 3 mg/m^3 inhalable particulate matter	TWA: 3.5 mg/m^3 (vacated) TWA: 3.5 mg/m^3	IDLH: 1750 mg/m^3 TWA: 3.5 mg/m^3 TWA: 0.1 mg/m^3 Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
Cobalt aluminate blue spinel 1345-16-0	TWA: 0.02 mg/m^3 Co inhalable particulate matter TWA: 1 mg/m^3 respirable particulate matter	-	-
Titanium dioxide 13463-67-7	TWA: 0.2 mg/m^3 nanoscale respirable particulate matter TWA: 2.5 mg/m^3 finescale respirable particulate matter	TWA: 15 mg/m^3 total dust (vacated) TWA: 10 mg/m^3 total dust	IDLH: 5000 mg/m^3 TWA: 2.4 mg/m^3 CIB 63 fine TWA: 0.3 mg/m^3 CIB 63 ultrafine, including engineered nanoscale
Coal	TWA: 0.4 mg/m^3 dust, respirable	-	-

8029-10-5	particulate matter		
Ground Mica 12001-26-2	TWA: 0.1 mg/m^3 respirable particulate matter	(vacated) TWA: 3 mg/m^3 respirable dust <1% Crystalline silica TWA: 20 mppcf <1% Crystalline silica	IDLH: 1500 mg/m^3 TWA: 3 mg/m^3 containing <1% Quartz respirable dust
Magnesium Oxide 1309-48-4	TWA: 10 mg/m^3 inhalable particulate matter	TWA: 15 mg/m^3 fume, total particulate (vacated) TWA: 10 mg/m^3 fume and total particulate	IDLH: 750 mg/m^3 fume
Manganese dioxide 1313-13-9	TWA: 0.02 mg/m^3 Mn respirable particulate matter TWA: 0.1 mg/m^3 Mn inhalable particulate matter	Ceiling: 5 mg/m^3 Mn	IDLH: 500 mg/m^3 Mn TWA: 1 mg/m^3 Mn STEL: 3 mg/m^3 Mn
Talc 14807-96-6	TWA: 2 mg/m^3 particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	(vacated) TWA: 2 mg/m^3 respirable dust <1% Crystalline silica, containing no Asbestos TWA: 20 mppcf if 1% Quartz or more;use Quartz limit	IDLH: 1000 mg/m^3 TWA: 2 mg/m^3 containing no Asbestos and <1% Quartz respirable dust
Magnesium Carbonate 546-93-0	-	-	TWA: 10 mg/m^3 total dust TWA: 5 mg/m^3 respirable dust

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear eye/face protection. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid		
Appearance	White, off white, grey or pastel powder	**Odor**	None
Color	White, off white, grey or pastel	**Odor Threshold**	Not determined

Property	**Values**	**Remarks • Method**
pH	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	No data available	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor Pressure	Not determined	
Vapor Density	No data available	

Relative Density	Not determined
Water Solubility	0.1 g/100ml at 20°C (68 °F)
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition temperature	No data available
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

10. STABILITY AND REACTIVITY

Reactivity
Not reactive under normal conditions.

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to Avoid
Keep out of reach of children.

Incompatible materials
Acids. Oxidizing materials.

Hazardous decomposition products
None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium Hydroxide 1305-62-0	= 7340 mg/kg (Rat)	> 2500 mg/kg (Rat)	> 6.04 mg/L (Rat) 4 h
Calcined Kaolin 92704-41-1	> 2000 mg/kg (Rat)	-	> 2.07 mg/L (Rat) 4 h
Magnesium hydroxide 1309-42-8	= 8500 mg/kg (Rat)	-	> 2.1 mg/L (Rat) 4 h
Chromium (Cr2O3) 1308-38-9	> 5000 mg/kg (Rat)	-	> 5.41 mg/L (Rat) 4 h
Iron(III) oxide 1309-37-1	> 10000 mg/kg (Rat)	-	-

Black Iron Oxide 1317-61-9	> 10000 mg/kg (Rat)	-	-
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	-	> 4.6 mg/m^3 (Rat) 4 h
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h
Magnesium Oxide 1309-48-4	= 3990 mg/kg (Rat) = 3870 mg/kg (Rat)	-	-
Manganese dioxide 1313-13-9	= 9000 mg/kg (Rat)	-	> 1500 mg/m^3 (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Carbon black is a possible carcinogen when it appears as a respirable dust. Silica (quartz) is a possible carcinogen when it appears as a respirable dust. Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical name	ACGIH	IARC	NTP	OSHA
Silica, Quartz 14808-60-7	A2	Group 1	Known	X
Chromium (Cr2O3) 1308-38-9		Group 3		
Iron(III) oxide 1309-37-1		Group 3		
Carbon Black 1333-86-4	A3	Group 2B		X
Cobalt aluminate blue spinel 1345-16-0	A3	Group 2B	Reasonably Anticipated	X
Titanium dioxide 13463-67-7	A3	Group 2B		X
Talc 14807-96-6		Group 3		X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans
Group 3 - Not Classifiable as to Carcinogenicity in Humans
NTP (National Toxicology Program)
Known - Known Carcinogen
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 1,648.60 mg/kg
Dermal LD50 31,645.60 mg/kg
ATEmix (inhalation-dust/mist) 0.232 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Calcined Kaolin 92704-41-1	EC50: >100mg/L (72h, Desmodesmus subspicatus)	LC50: >100mg/L (96h, Oncorhynchus mykiss)	EC50: >1mg/L (48h, Daphnia magna)
Magnesium hydroxide 1309-42-8		LC50: =511.31mg/L (96h, Pimephales promelas)	
Chromium (Cr2O3) 1308-38-9		LC50: >10000mg/L (96h, Danio rerio)	
Iron(III) oxide 1309-37-1		LC50: =100000mg/L (96h, Danio rerio)	
Talc 14807-96-6		LC50: >100g/L (96h, Brachydanio rerio)	

Persistence/Degradability
Not determined.

Bioaccumulation
There is no data for this product.

Mobility
Not determined

Other adverse effects
Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Calcium Hydroxide 1305-62-0	Corrosive
Chromium (Cr2O3) 1308-38-9	Toxic Corrosive Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AIIC
Silica, Quartz	X	ACTIVE	X	X	X	X	X	X	X
Calcium Hydroxide	X	ACTIVE	X	X	X	X	X	X	X
Calcined Kaolin	X	ACTIVE	X	X	X	X	X	X	
Magnesium hydroxide	X	ACTIVE	X	X	X	X	X	X	X
Chromium (Cr2O3)	X	ACTIVE	X	X	X	X	X	X	X
Iron(III) oxide	X	ACTIVE	X	X	X	X	X	X	X
Black Iron Oxide	X	ACTIVE	X	X	X	X	X	X	X
Calcium Carbonate	X	ACTIVE	X	X	X	X	X	X	X
Carbon Black	X	ACTIVE	X	X	X	X	X	X	X
Cobalt aluminate blue spinel	X	ACTIVE	X	X	X	X	X	X	X
Titanium dioxide	X	ACTIVE	X	X	X	X	X	X	X
Coal								X	
Ground Mica	X		X			X	X	X	X
Dolomite	X	ACTIVE	X	X		X	X	X	X
Magnesium Oxide	X	ACTIVE	X	X	X	X	X	X	X
Manganese dioxide	X	ACTIVE	X	X	X	X	X	X	X
Talc	X	ACTIVE	X	X	X	X	X	X	X
Magnesium Carbonate	X	ACTIVE	X	X	X	X	X	X	X

Legend:

TSCA *- United States Toxic Substances Control Act Section 8(b) Inventory*

DSL/NDSL *- Canadian Domestic Substances List/Non-Domestic Substances List*

EINECS/ELINCS *- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

ENCS *- Japan Existing and New Chemical Substances*

IECSC *- China Inventory of Existing Chemical Substances*

KECL *- Korean Existing and Evaluated Chemical Substances*

PICCS *- Philippines Inventory of Chemicals and Chemical Substances*

AICS *- Australian Inventory of Chemical Substances*

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Chromium (Cr2O3) - 1308-38-9	1308-38-9	<1.96	1.0
Manganese dioxide - 1313-13-9	1313-13-9	<1	1.0

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Chromium (Cr2O3)		X		

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Silica, Quartz - 14808-60-7	Carcinogen
Carbon Black - 1333-86-4	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Silica, Quartz 14808-60-7	X	X	X
Calcium Hydroxide 1305-62-0	X	X	X
Chromium (Cr2O3) 1308-38-9	X	X	X
Iron(III) oxide 1309-37-1	X	X	X
Calcium Carbonate 1317-65-3	X	X	X
Carbon Black 1333-86-4	X	X	X
Cobalt aluminate blue spinel 1345-16-0	X		X
Titanium dioxide 13463-67-7	X	X	X
Magnesium Oxide 1309-48-4	X	X	X
Magnesium Carbonate 546-93-0	X	X	
Manganese dioxide 1313-13-9	X		X
Talc 14807-96-6	X	X	X

16. OTHER INFORMATION

NFPA	**Health hazards**	**Flammability**	**Instability**	**Special hazards**
	-	-	-	-
HMIS	**Health hazards**	**Flammability**	**Physical hazards**	**Personal Protection**
	-	-	-	Not determined

Issue Date: 20-Mar-2024
Revision Date: 21-Mar-2024
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet